

Run 6095 quartetwise, posH0: Beam ON

Laser ON Laser OFF	Entries: 0	Entries: 0	beam1_las0_posH0
	Mean: 0.0000 +/- 0.0000	Mean: 0.0000 +/- 0.0000	0
	Std Dev: 0.0000 +/- 0.0000	Std Dev: 0.0000 +/- 0.0000	0
			Std Dev 0

Run 6095 quartetwise, negH0: Beam ON

Laser ON Laser OFF	Entries: 0	Entries: 0	beam1_las0_negH0
	Mean: 0.0000 +/- 0.0000	Mean: 0.0000 +/- 0.0000	0
	Std Dev: 0.0000 +/- 0.0000	Std Dev: 0.0000 +/- 0.0000	0
			Std Dev 0

Run 6095 quartetwise, asym0sub: Beam ON

Laser ON Laser OFF	Entries: 0	Entries: 0
	Mean: 0.0000 +/- 0.0000	Mean: 0.0000 +/- 0.0000
	Std Dev: 0.0000 +/- 0.0000	Std Dev: 0.0000 +/- 0.0000

-----Histogram Vars-----
Positive Hel (ON): 0.000000 +/- 0.000000
Negative Hel (ON): 0.000000 +/- 0.000000
Positive Hel (OFF): 0.000000 +/- 0.000000
Negative Hel (OFF): 0.000000 +/- 0.000000
-----Sums and Diffs-----
On Diff: 0.000000 +/- 0.000000
Off Diff: 0.000000 +/- 0.000000
On Sum: 0.000000 +/- 0.000000
Off Sum: 0.000000 +/- 0.000000
-----Asymmetries-----
On Asym: -nan +/- -nan (ppt)
Off Asym: -nan +/- -nan (ppt)
-----Bkgd Subtraction-----
BkSub Sum: 0.000000 +/- 0.000000
BkSub Asym: -nan +/- nan (ppt)

