




asym_sam2




asym_sam4




asym_sam6




asym_sam8




reg_asym_sam2




reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4








asym_sam6








asym_sam8








reg_asym_sam2








reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4



asym_sam6




asym_sam8




The figure consists of five scatter plots arranged horizontally, each showing the distribution of differences between BPM1X and another BPM. The y-axis for all plots is labeled 'diff_bpm1X' and ranges from -400 to 300. The x-axis for each plot is labeled with the difference between the respective BPM and BPM1X.

- diff_bpm1X vs diff_bpm1X/um:** The x-axis ranges from -60 to 40. The distribution is centered around 0.
- diff_bpm1X vs diff_bpm4aY/um:** The x-axis ranges from -30 to 30. The distribution is centered around 0.
- diff_bpm1X vs diff_bpm4eX/um:** The x-axis ranges from -100 to 60. The distribution is centered around 0.
- diff_bpm1X vs diff_bpm4eY/um:** The x-axis ranges from -20 to 20. The distribution is centered around 0.
- diff_bpm1X vs diff_bpm12X/um:** The x-axis ranges from -80 to 80. The distribution is centered around 0.


asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1








asym_sam3








asym_sam5








asym_sam7








reg_asym_sam1








reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1








asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1



reg_asym_sam3



reg_asym_sam5



reg_asym_sam7

