




asym_sam2




asym_sam4




asym_sam6




asym_sam8




reg_asym_sam2




reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4








asym_sam6








asym_sam8








reg_asym_sam2








reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4



asym_sam6



asym_sam8



The figure consists of five scatter plots arranged horizontally, each showing the distribution of differences between a specific BPM and BPM4a. The y-axis for all plots is labeled 'diff_bpmX' and ranges from -600 to 1000. The x-axis for all plots is labeled 'diff_bpmX/um'.

- diff_bpm1X**: The x-axis ranges from -100 to 100. The distribution is centered around 0.
- diff_bpm4aY**: The x-axis ranges from -30 to 30. The distribution is centered around 0.
- diff_bpm4eX**: The x-axis ranges from -100 to 100. The distribution is centered around 0.
- diff_bpm4eY**: The x-axis ranges from -30 to 30. The distribution is centered around 0.
- diff_bpm12X**: The x-axis ranges from -200 to 150. The distribution is centered around 0.

diff_bpm1X


diff_bpm4aY

diff_bpm4eX


diff_bpm4eY

diff_bpm12X


asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3




reg_asym_sam5




reg_asym_sam7




asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1








asym_sam3








asym_sam5








asym_sam7








reg_asym_sam1



reg_asym_sam3



reg_asym_sam5



reg_asym_sam7

