




asym_sam2




asym_sam4




asym_sam6




asym_sam8




reg_asym_sam2




reg_asym_sam4




reg_asym_sam6




reg_asym_sam8




asym_sam2




asym_sam4




asym_sam6




asym_sam8




reg_asym_sam2




reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4




asym_sam6




asym_sam8




asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3




reg_asym_sam5




reg_asym_sam7




asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1








asym_sam3



asym_sam5



asym_sam7



The figure consists of five scatter plots arranged horizontally, each showing the distribution of a different diffraction order. The y-axis for all plots ranges from -600 to 600. The x-axis for each plot represents a specific diffraction order, with labels at the bottom of each plot.

- diff_bpm1X**: The x-axis ranges from -40 to 40. The distribution is centered at (0,0) with a radius of approximately 30 units.
- diff_bpm4aY**: The x-axis ranges from -30 to 30. The distribution is centered at (0,0) with a radius of approximately 20 units.
- diff_bpm4eX**: The x-axis ranges from -50 to 50. The distribution is centered at (0,0) with a radius of approximately 30 units.
- diff_bpm4eY**: The x-axis ranges from -30 to 30. The distribution is centered at (0,0) with a radius of approximately 20 units.
- diff_bpm12X**: The x-axis ranges from -150 to 150. The distribution is centered at (0,0) with a radius of approximately 100 units.