




asym_sam2




asym_sam4




asym_sam6




asym_sam8




reg_asym_sam2




reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4








asym_sam6








asym_sam8








reg_asym_sam2








reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4



asym_sam6




asym_sam8




The figure displays five scatter plots, each representing the distribution of points for a specific beam parameter. The plots are arranged horizontally. Each plot has a y-axis ranging from -2000 to 1000 and an x-axis with varying ranges. The data points are concentrated in a dense, roughly circular cloud centered around the origin (0,0).

- diff_bpm1X:** The x-axis ranges from -80 to 40. The y-axis ranges from -2000 to 1000.
- diff_bpm4aY:** The x-axis ranges from -30 to 30. The y-axis ranges from -2000 to 1000.
- diff_bpm4eX:** The x-axis ranges from -80 to 60. The y-axis ranges from -2000 to 1000.
- diff_bpm4eY:** The x-axis ranges from -30 to 30. The y-axis ranges from -2000 to 1000.
- diff_bpm12X:** The x-axis ranges from -200 to 150. The y-axis ranges from -2000 to 1000.


asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3




reg_asym_sam5




reg_asym_sam7




asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1








asym_sam3








asym_sam5








asym_sam7








reg_asym_sam1



reg_asym_sam3



reg_asym_sam5



reg_asym_sam7

