




asym_atl1




asym_atr1




asym_atl2




asym_atr2




reg_asym_atl1




reg_asym_atr1








reg_asym_atl2








reg_asym_atr2








asym_atl1








asym_atr1








asym_atl2








asym_atr2








reg_asym_atl1








reg_asym_atr1








reg_asym_atl2








reg_asym_atr2








asym_atl1








asym_atr1



asym_atl2



asym_atr2



The figure consists of five scatter plots arranged horizontally, each showing the difference between two measurement methods for a specific coordinate. The y-axis for all plots is labeled 'diff_bpm1' and ranges from -10000 to 10000. The x-axis for each plot is labeled with the difference between the two methods.

- diff_bpm1X**: The x-axis is labeled 'diff_bpm1X' and ranges from -40 to 60.
- diff_bpm4aY**: The x-axis is labeled 'diff_bpm4aY/um' and ranges from -40 to 60.
- diff_bpm4eX**: The x-axis is labeled 'diff_bpm4eX/um' and ranges from -40 to 60.
- diff_bpm4eY**: The x-axis is labeled 'diff_bpm4eY/um' and ranges from -30 to 30.
- diff_bpm12X**: The x-axis is labeled 'diff_bpm12X/um' and ranges from -200 to 200.

All plots show a dense, roughly circular cloud of points centered around the origin (0,0), indicating that the differences between the measurements are small and centered around zero.