




asym_atl1




asym_atr1




asym_atl2




asym_atr2




reg_asym_atl1




reg_asym_atr1








reg_asym_atl2








reg_asym_atr2








asym_atl1








asym_atr1








asym_atl2








asym_atr2








reg_asym_atl1








reg_asym_atr1








reg_asym_atl2








reg_asym_atr2








asym_atl1








asym_atr1



asym_atl2



asym_atr2



The figure consists of five scatter plots arranged horizontally, each showing the difference in beam positions (diff_bpm) for a specific beam pair. The plots are titled as follows:

- diff_bpm1X**: The x-axis is labeled 'diff_bpm1X/um' and ranges from -100 to 100. The y-axis ranges from -10000 to 10000.
- diff_bpm4aY**: The x-axis is labeled 'diff_bpm4aY/um' and ranges from -20 to 30. The y-axis ranges from -10000 to 10000.
- diff_bpm4eX**: The x-axis is labeled 'diff_bpm4eX/um' and ranges from -80 to 80. The y-axis ranges from -10000 to 10000.
- diff_bpm4eY**: The x-axis is labeled 'diff_bpm4eY/um' and ranges from -30 to 30. The y-axis ranges from -10000 to 10000.
- diff_bpm12X**: The x-axis is labeled 'diff_bpm12X/um' and ranges from -150 to 150. The y-axis ranges from -10000 to 10000.

Each plot displays a dense, roughly circular cloud of points centered around the origin (0,0), indicating that the beam positions are very close to each other for most measurements. The axes are labeled in micrometers (um).