




asym_atl1




asym_atr1




asym_atl2




asym_atr2




reg_asym_atl1




reg_asym_atr1








reg_asym_atl2








reg_asym_atr2








asym_atl1








asym_atr1








asym_atl2








asym_atr2








reg_asym_atl1








reg_asym_atr1








reg_asym_atl2








reg_asym_atr2








asym_atl1








asym_atr1



asym_atl2



asym_atr2



The figure consists of five scatter plots arranged horizontally. Each plot shows the distribution of differences between BPM1 and BPM4a, BPM4e, and BPM12. The y-axis for all plots is labeled 'diff_bpm1X' and ranges from -10000 to 10000. The x-axis labels and ranges are as follows:

- diff_bpm1X**: x-axis is 'diff_bpm1X/um', range -40 to 60.
- diff_bpm4aY**: x-axis is 'diff_bpm4aY/um', range -20 to 20.
- diff_bpm4eX**: x-axis is 'diff_bpm4eX/um', range -50 to 50.
- diff_bpm4eY**: x-axis is 'diff_bpm4eY/um', range -20 to 20.
- diff_bpm12X**: x-axis is 'diff_bpm12X/um', range -150 to 150.

All plots show a dense, roughly circular distribution of points centered around zero, indicating that the differences between the BPMs are small and centered around zero.