




asym_sam2




asym_sam4




asym_sam6




asym_sam8




reg_asym_sam2




reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4








asym_sam6








asym_sam8








reg_asym_sam2








reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4



asym_sam6



asym_sam8




The figure consists of five scatter plots arranged horizontally, each showing the distribution of a specific diffraction order. The plots are titled as follows:


- diff_bpm1X**: The x-axis is labeled $\text{diff_bpm1X}/\mu\text{m}$ and ranges from -100 to 80. The y-axis ranges from -600 to 600.
- diff_bpm4aY**: The x-axis is labeled $\text{diff_bpm4aY}/\mu\text{m}$ and ranges from -30 to 30. The y-axis ranges from -600 to 600.
- diff_bpm4eX**: The x-axis is labeled $\text{diff_bpm4eX}/\mu\text{m}$ and ranges from -80 to 80. The y-axis ranges from -600 to 600.
- diff_bpm4eY**: The x-axis is labeled $\text{diff_bpm4eY}/\mu\text{m}$ and ranges from -30 to 40. The y-axis ranges from -600 to 600.
- diff_bpm12X**: The x-axis is labeled $\text{diff_bpm12X}/\mu\text{m}$ and ranges from -150 to 150. The y-axis ranges from -600 to 600.

Each plot displays a dense, roughly circular cloud of points centered at the origin (0,0), representing the spatial distribution of the corresponding diffraction order.


asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1








asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1



asym_sam3



asym_sam5



asym_sam7

