
Residual Sensitivity in usl_coil5
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 25
Mean 0.09326
Std Dev 0.5611
Underflow 2
Overflow 0


Residual Sensitivity in usl_coil2
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 26
Mean 0.06877
Std Dev 0.1929
Underflow 0
Overflow 0


Residual Sensitivity in usl_coil1
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 25
Mean −0.05222
Std Dev 0.5945
Underflow 0
Overflow 0


Residual Sensitivity in usl_coil3
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean 0.02146
Std Dev 0.2761
Underflow 0
Overflow 0


Residual Sensitivity in usl_coil4
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean 0.004883
Std Dev 0.171
Underflow 0
Overflow 0


Residual Sensitivity in usl_coil6
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
0.6
0.4
0.2
0
−0.2
−0.4
Raw Sensitivity (ppm/count)
14
13.5
13
12.5
12
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 24
Mean 0.0766
Std Dev 0.317
Underflow 0
Overflow 0
3
2.5
2
1.5
1
0.5
0
−1.5 −1 −0.5 0 0.5 1 1.5


Residual Sensitivity in usl_coil7
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
Entries 24
Mean −0.07797
Std Dev 0.4383
Underflow 0
Overflow 1


Residual Sensitivity in usr_coil5
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
1.2
1
0.8
0.6
0.4
0.2
0
−0.2
−0.4
−0.6
Raw Sensitivity (ppm/count)
−66
−66.5
−67
−67.5
−68
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 25
Mean 0.1539
Std Dev 0.4794
Underflow 0
Overflow 0
0
1
2
3
4
5
−1.5 −1 −0.5 0 0.5 1 1.5


Residual Sensitivity in usr_coil2
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
0.3
0.2
0.1
0
−0.1
−0.2
−0.3
Raw Sensitivity (ppm/count)
−12.6
−12.8
−13
−13.2
−13.4
−13.6
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 26
Mean −0.007648
Std Dev 0.1546
Underflow 0
Overflow 0
0
1
2
3
4
5
6
−1.5 −1 −0.5 0 0.5 1 1.5


Residual Sensitivity in usr_coil1
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 25
Mean 0.1951
Std Dev 0.4212
Underflow 0
Overflow 0


Residual Sensitivity in usr_coil3
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
0.3
0.2
0.1
0
−0.1
−0.2
Raw Sensitivity (ppm/count)
17
16.8
16.6
16.4
16.2
16
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean −0.05542
Std Dev 0.1301
Underflow 0
Overflow 0
0
1
2
3
4
5
6
7
8
−1.5 −1 −0.5 0 0.5 1 1.5


Residual Sensitivity in usr_coil4
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
0.2
0.1
0
−0.1
−0.2
Raw Sensitivity (ppm/count)
−8.8
−9
−9.2
−9.4
−9.6
−9.8
−10
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 24
Mean −0.005084
Std Dev 0.1058
Underflow 0
Overflow 0
12
10
8
6
4
2
0
−1.5 −1 −0.5 0 0.5 1 1.5


Residual Sensitivity in usr_coil6
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
Entries 24
Mean −0.0184
Std Dev 0.1627
Underflow 0
Overflow 0


Residual Sensitivity in usr_coil7
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean −0.0005432
Std Dev 0.4562
Underflow 0
Overflow 0


Residual Sensitivity in dsl_coil5
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 25
Mean 0.1332
Std Dev 0.5677
Underflow 2
Overflow 0


Residual Sensitivity in dsl_coil2
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 26
Mean 0.08673
Std Dev 0.205
Underflow 0
Overflow 0


Residual Sensitivity in dsl_coil1
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 25
Mean −0.004344
Std Dev 0.6099
Underflow 0
Overflow 0


Residual Sensitivity in dsl_coil3
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 24
Mean 0.01475
Std Dev 0.3172
Underflow 0
Overflow 0


Residual Sensitivity in dsl_coil4
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean 0.007417
Std Dev 0.1978
Underflow 0
Overflow 0


Residual Sensitivity in dsl_coil6
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
0.6
0.4
0.2
0
−0.2
−0.4
−0.6
Raw Sensitivity (ppm/count)
14.5
14
13.5
13
12.5
12
11.5
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean 0.09475
Std Dev 0.3941
Underflow 0
Overflow 0
0
1
2
3
4
5
−1.5 −1 −0.5 0 0.5 1 1.5


Residual Sensitivity in dsl_coil7
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 24
Mean −0.08595
Std Dev 0.4668
Underflow 0
Overflow 1


Residual Sensitivity in dsr_coil5
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
Entries 25
Mean 0.1086
Std Dev 0.5357
Underflow 0
Overflow 1


Residual Sensitivity in dsr_coil2
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
0.3
0.2
0.1
0
−0.1
−0.2
Raw Sensitivity (ppm/count)
−13.8
−14
−14.2
−14.4
−14.6
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 26
Mean 0.008097
Std Dev 0.1552
Underflow 0
Overflow 0
0
1
2
3
4
5
6
7
−1.5 −1 −0.5 0 0.5 1 1.5


Residual Sensitivity in dsr_coil1
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
1.5
1
0.5
0
−0.5
−1
Raw Sensitivity (ppm/count)
52.5
52
51.5
51
50.5
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 25
Mean 0.2132
Std Dev 0.5549
Underflow 0
Overflow 0
0
1
2
3
4
5
−1.5 −1 −0.5 0 0.5 1 1.5


Residual Sensitivity in dsr_coil3
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean −0.06251
Std Dev 0.1666
Underflow 0
Overflow 0


Residual Sensitivity in dsr_coil4
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
0.1
0.05
0
−0.05
−0.1
−0.15
−0.2
Raw Sensitivity (ppm/count)
−10
−10.2
−10.4
−10.6
−10.8
−11
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 24
Mean −0.00468
Std Dev 0.09036
Underflow 0
Overflow 0
10
8
6
4
2
0
−1.5 −1 −0.5 0 0.5 1 1.5


Residual Sensitivity in dsr_coil6
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean −0.001981
Std Dev 0.1719
Underflow 0
Overflow 0


Residual Sensitivity in dsr_coil7
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean 0.0008798
Std Dev 0.5051
Underflow 0
Overflow 0


Residual Sensitivity in atl1_coil5
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 25
Mean −0.04238
Std Dev 0.735
Underflow 4
Overflow 4


Residual Sensitivity in atl1_coil2
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 26
Mean −0.09884
Std Dev 0.5193
Underflow 0
Overflow 0


Residual Sensitivity in atl1_coil1
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
Entries 25
Mean 0.09951
Std Dev 0.793
Underflow 4
Overflow 3


Residual Sensitivity in atl1_coil3
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean −0.05674
Std Dev 0.4259
Underflow 0
Overflow 0


Residual Sensitivity in atl1_coil4
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean −0.01468
Std Dev 0.3726
Underflow 0
Overflow 0


Residual Sensitivity in atl1_coil6
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
Entries 24
Mean −0.04354
Std Dev 0.6674
Underflow 1
Overflow 0


Residual Sensitivity in atl1_coil7
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
Entries 24
Mean 0.09174
Std Dev 0.9151
Underflow 4
Overflow 6


Residual Sensitivity in atl2_coil5
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
Entries 25
Mean 0.403
Std Dev 0.8347
Underflow 7
Overflow 6


Residual Sensitivity in atl2_coil2
ppm/count
Raw Sensitivity (ppm/count)
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
Entries 26
Mean 0.06261
Std Dev 0.5489
Underflow 0
Overflow 0


Residual Sensitivity in atl2_coil1
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 25
Mean −0.3546
Std Dev 0.8054
Underflow 6
Overflow 5


Residual Sensitivity in atl2_coil3
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean 0.002405
Std Dev 0.4517
Underflow 0
Overflow 0


Residual Sensitivity in atl2_coil4
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
Entries 24
Mean −0.00663
Std Dev 0.4206
Underflow 0
Overflow 0


Residual Sensitivity in atl2_coil6
ppm/count
Raw Sensitivity (ppm/count)
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean 0.06635
Std Dev 0.6963
Underflow 0
Overflow 0


Residual Sensitivity in atl2_coil7
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
Entries 24
Mean −0.01899
Std Dev 0.8005
Underflow 6
Overflow 4


Residual Sensitivity in atr1_coil5
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
Entries 25
Mean −0.04441
Std Dev 0.6421
Underflow 1
Overflow 1


Residual Sensitivity in atr1_coil2
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 26
Mean 0.1734
Std Dev 0.6574
Underflow 0
Overflow 1


Residual Sensitivity in atr1_coil1
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 25
Mean −0.0679
Std Dev 0.541
Underflow 0
Overflow 0


Residual Sensitivity in atr1_coil3
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean 0.06737
Std Dev 0.2831
Underflow 0
Overflow 0


Residual Sensitivity in atr1_coil4
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean −0.08515
Std Dev 0.4571
Underflow 0
Overflow 1


Residual Sensitivity in atr1_coil6
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117
Entries 24
Mean 0.217
Std Dev 0.7631
Underflow 1
Overflow 2


Residual Sensitivity in atr1_coil7
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean −0.2258
Std Dev 0.655
Underflow 12
Overflow 8


Residual Sensitivity in atr2_coil5
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 25
Mean 0.2713
Std Dev 0.8172
Underflow 2
Overflow 2


Residual Sensitivity in atr2_coil2
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
Entries 26
Mean 0.001801
Std Dev 0.6154
Underflow 0
Overflow 0


Residual Sensitivity in atr2_coil1
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 25
Mean −0.1901
Std Dev 0.7287
Underflow 0
Overflow 5


Residual Sensitivity in atr2_coil3
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean −0.09696
Std Dev 0.3457
Underflow 0
Overflow 0


Residual Sensitivity in atr2_coil4
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean −0.01323
Std Dev 0.3192
Underflow 0
Overflow 0


Residual Sensitivity in atr2_coil6
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
Entries 24
Mean 0.06762
Std Dev 0.4566
Underflow 1
Overflow 0


Residual Sensitivity in atr2_coil7
4561
4562
4563
4564
4565
4566
4567
4568
4569
4570
ppm/count
Raw Sensitivity (ppm/count)
3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3109 3110 3111 3112 3113 3114 3115 3116 3117


Entries 24
Mean −0.0694
Std Dev 0.8276
Underflow 4
Overflow 6