




asym_sam2




asym_sam4




asym_sam6




asym_sam8




reg_asym_sam2




reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4








asym_sam6








asym_sam8








reg_asym_sam2








reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4



asym_sam6




asym_sam8




The figure consists of five scatter plots arranged horizontally, each showing a dense, roughly circular cloud of points centered at the origin. The plots are titled: **diff_bpm4aX**, **diff_bpm4aY**, **diff_bpm4eX**, **diff_bpm4eY**, and **diff_bpmE**. Each plot has a y-axis ranging from -3000 to 4000 and an x-axis ranging from -6 to 8, -10 to 10, -40 to 50, -10 to 10, and -30 to 40, respectively. The x-axis labels are **diff_bpm4aX/um**, **diff_bpm4aY/um**, **diff_bpm4eX/um**, **diff_bpm4eY/um**, and **diff_bpmE/um**.


asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1








asym_sam3








asym_sam5








asym_sam7








reg_asym_sam1








reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1








asym_sam3



asym_sam5



asym_sam7



The figure consists of five scatter plots arranged horizontally, each showing the distribution of a different variable. The variables are labeled above each plot: **diff_bpm4aX**, **diff_bpm4aY**, **diff_bpm4eX**, **diff_bpm4eY**, and **diff_bpmE**. Each plot has a y-axis ranging from -2000 to 6000 and an x-axis with a unit of μm . The distributions are all centered around zero and show a dense, roughly elliptical cloud of points.