




asym_sam2




asym_sam4




asym_sam6




asym_sam8




reg_asym_sam2




reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4








asym_sam6








asym_sam8








reg_asym_sam2








reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4



asym_sam6



asym_sam8




The figure consists of five scatter plots arranged horizontally, each showing the distribution of differences in BPM parameters. The y-axis for all plots ranges from -3000 to 4000. The x-axis for each plot represents a different parameter difference:


- diff_bpm4aX**: x-axis ranges from -6 to 6.
- diff_bpm4aY**: x-axis ranges from -10 to 10.
- diff_bpm4eX**: x-axis ranges from -40 to 40.
- diff_bpm4eY**: x-axis ranges from -20 to 25.
- diff_bpmE**: x-axis ranges from -30 to 30.

In all plots, the data points are densely clustered around the origin (0,0), indicating that the differences between the two sets of BPM parameters are generally small and centered around zero.


asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3




reg_asym_sam5




reg_asym_sam7




asym_sam1




asym_sam3








asym_sam5








asym_sam7








reg_asym_sam1








reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1








asym_sam3



asym_sam5



asym_sam7



run3553_000_regression_reg_sam1357_vs_diff_bpm-scat_postpan.png