




asym_atl1




asym_atr1




asym_atl2




asym_atr2




reg_asym_atl1




reg_asym_atr1








reg_asym_atl2








reg_asym_atr2








asym_atl1








asym_atr1








asym_atl2








asym_atr2








reg_asym_atl1








reg_asym_atr1








reg_asym_atl2








reg_asym_atr2








asym_atl1








asym_atr1



asym_atl2



asym_atr2



The figure consists of five scatter plots arranged horizontally, each showing the difference between the BPM4 and BPM4E models for a specific component. The plots are titled as follows:

- diff_bpm4aX**: The x-axis is labeled 'diff_bpm4aX/um' and ranges from -8 to 8. The y-axis ranges from -2000 to 1500.
- diff_bpm4aY**: The x-axis is labeled 'diff_bpm4aY/um' and ranges from -40 to 40. The y-axis ranges from -2000 to 1500.
- diff_bpm4eX**: The x-axis is labeled 'diff_bpm4eX/um' and ranges from -40 to 40. The y-axis ranges from -2000 to 1500.
- diff_bpm4eY**: The x-axis is labeled 'diff_bpm4eY/um' and ranges from -25 to 20. The y-axis ranges from -2000 to 1500.
- diff_bpmE**: The x-axis is labeled 'diff_bpmE/um' and ranges from -80 to 40. The y-axis ranges from -2000 to 1500.

All plots show a dense, roughly circular distribution of points centered around zero, indicating that the differences between the two models are small and randomly distributed across the range of values.