




asym_sam2




asym_sam4




asym_sam6




asym_sam8




reg_asym_sam2




reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4



asym_sam6








asym_sam8








run4056_000_regression_asym_sam2468 vs diff_bpm-fit_postpan.png






reg_asym_sam2








reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4



asym_sam6



asym_sam8




The figure consists of five scatter plots arranged horizontally, each showing a dense, roughly circular cloud of points centered around the origin. The plots are labeled as follows:


- diff_bpm4aX**: The x-axis ranges from -4 to 4, and the y-axis ranges from -8000 to 8000.
- diff_bpm4aY**: The x-axis ranges from -10 to 10, and the y-axis ranges from -8000 to 8000.
- diff_bpm4eX**: The x-axis ranges from -30 to 50, and the y-axis ranges from -8000 to 8000.
- diff_bpm4eY**: The x-axis ranges from -10 to 10, and the y-axis ranges from -8000 to 8000.
- diff_bpmE**: The x-axis ranges from -30 to 30, and the y-axis ranges from -8000 to 8000.

All plots have a y-axis ranging from -8000 to 8000. The x-axis ranges vary between plots, reflecting the different variables being measured.


asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3




reg_asym_sam5




reg_asym_sam7




asym_sam1




asym_sam3








asym_sam5








asym_sam7








reg_asym_sam1








reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1



asym_sam3



asym_sam5



asym_sam7

