




asym_sam2




asym_sam4




asym_sam6




asym_sam8




reg_asym_sam2




reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4



asym_sam6








asym_sam8








run4621_000_regression_asym_sam2468 vs diff_bpm-fit_postpan.png






reg_asym_sam2








reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4



asym_sam6



asym_sam8




The figure displays five scatter plots arranged horizontally, each showing the distribution of a different variable. The variables are labeled as follows:


- diff_bpm4aX**: The x-axis ranges from -4 to 4, and the y-axis ranges from -10000 to 10000.
- diff_bpm4aY**: The x-axis ranges from -10 to 10, and the y-axis ranges from -10000 to 10000.
- diff_bpm4eX**: The x-axis ranges from -30 to 40, and the y-axis ranges from -10000 to 10000.
- diff_bpm4eY**: The x-axis ranges from -15 to 10, and the y-axis ranges from -10000 to 10000.
- diff_bpmE**: The x-axis ranges from -40 to 40, and the y-axis ranges from -10000 to 10000.

Each plot shows a dense, roughly circular cloud of points centered around zero, indicating a normal distribution of the data. The axes are labeled with the variable name and the unit 'um' (micrometers).


asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1








asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1



asym_sam3



asym_sam5



asym_sam7

