




asym_sam2




asym_sam4




asym_sam6




asym_sam8




reg_asym_sam2




reg_asym_sam4








reg_asym_sam6








reg_asym_sam8








asym_sam2








asym_sam4








asym_sam6








asym_sam8








reg_asym_sam2








reg_asym_sam4



reg_asym_sam6



reg_asym_sam8



The figure consists of five scatter plots arranged horizontally, each showing the distribution of differences between BPM4 and other models. The plots are titled: **diff_bpm4aX**, **diff_bpm4aY**, **diff_bpm4eX**, **diff_bpm4eY**, and **diff_bpmE**. Each plot has a y-axis ranging from -20000 to 20000 and an x-axis ranging from -6 to 6, -10 to 10, -40 to 50, -30 to 30, and -30 to 30, respectively. The data points are densely clustered around the origin (0,0), indicating a high degree of agreement between the models.


The figure consists of five scatter plots arranged horizontally, each showing the distribution of differences in BPM coordinates. The y-axis for all plots ranges from -1000 to 1000. The x-axis labels and ranges are as follows:

- diff_bpm4aX**: x-axis ranges from -6 to 6.
- diff_bpm4aY**: x-axis ranges from -10 to 10.
- diff_bpm4eX**: x-axis ranges from -40 to 50.
- diff_bpm4eY**: x-axis ranges from -30 to 30.
- diff_bpmE**: x-axis ranges from -30 to 30.


All plots show a dense, roughly circular cloud of points centered at the origin (0,0), indicating that the differences are generally small and centered around zero.

run3395_000_regression_reg_sam2468_vs_diff_bpm-scat_postpan.png


asym_sam1




asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1








asym_sam3




asym_sam5




asym_sam7




reg_asym_sam1




reg_asym_sam3








reg_asym_sam5








reg_asym_sam7








asym_sam1








asym_sam3








asym_sam5








asym_sam7








reg_asym_sam1



reg_asym_sam3



reg_asym_sam5



reg_asym_sam7

